



HARMONIC RESOLUTION SYSTEMS

Swiss Master Retail Price List

Distributed in Switzerland by:



INTELLIWORLD
just relax... we care

www.intelliworld.ch
info@intelliworld.ch

Valid from **MAY 2025**

| Product and Part Number | | Quantity | | Retail incl. 8.1% VAT CHF |
|--|--|----------|--|------------------------------|
| HRS Chassis Noise Reduction Products - significantly reduce the noise levels on the bottom of the component chassis and significantly reduce the component's top chassis noise level. | | | | |
| Nimbus Coupler (all polymer coupler) | | each | | 70.- |
| Note: The Nimbus Coupler price shown is per unit (double this price for two units). Nimbus Couplers are currently shipped from HRS as two units per box. | | | | |
| Nimbus Spacer (standard color is black) | | | | |
| NS-030 | | each | | 65.- |
| NS-080 | | each | | 75.- |
| NS-130 | | each | | 90.- |
| Nimbus Assembly (two Nimbus Couplers bonded to one Nimbus Spacer) | | | | |
| NA-100 (1.0 inch height, 2.54 cm) | | each | | 175.- |
| NA-150 (1.5 inch height, 3.81 cm) | | each | | 185.- |
| NA-200 (2.0 inch height, 5.08 cm) | | each | | 195.- |
| Vortex (standard finish is stainless steel) | | | | |
| V-150 (fixed height) | | each | | 480.- |
| V-150A (adjustable height) | | each | | 540.- |
| V-150 Set (3 V-150 plus 1 V-150A) | | each | | 1'800.- |
| Helix (standard color is black) | | | | |
| HLX-090 (1/8" T-Wrench not included) | | each | | 180.- |
| HLX-090-SET | | each | | 540.- |
| (3 HLX-090 with 1 - 1/8" T-Wrench) | | | | |
| DPH Damping Plate (standard colors are black or silver) | | | | |
| DPH-05545 (4.5" x 5.5" x 0.7") | | each | | 210.- |
| DPH-09545 (4.5" x 9.5" x 0.7") | | each | | 300.- |
| DPH-14545 (4.5" x 14.5" x 0.7") | | each | | 385.- |
| DPX Damping Plate (standard colors are black or silver) | | | | |
| DPX-05545 (4.5" x 5.5" x 1.3") | | each | | 265.- |
| DPX-09545 (4.5" x 9.5" x 1.3") | | each | | 395.- |
| DPX-14545 (4.5" x 14.5" x 1.3") | | each | | 480.- |

All HRS Isolation Base series (E1X, R3X, S3 and M3X2) are designed with the same global engineering architecture. Each model can be set to either dissipate energy from or isolate each component. The price of each isolation base includes a set of four of either our Broad-Band Isolation Feet (SF), our Extended Low Frequency Feet (LF) or our Bi-Directional Noise Reduction Feet (G7). The selection of each footer is dependent on the component, configuration, and/or environment. The majority of components perform best on the HRS Isolation Bases using the HRS Broadband Isolation Feet, especially when used in conjunction with the HRS Damping Plates, Nimbus, Helix and Vortex Chassis Noise Reduction products.

At the time of order please indicate the footer selection for each Isolation Base. All footers are attached to the bottom of each isolation base at the same locations. If uncertain, please provide the specific model of component.

Broadband Isolation Feet (SF)

These are the starting point for all components that do not fall into one of the categories listed below. They are ideal for turntables, digital sources, and tube amplifiers, etc.

Low Frequency Feet (LF)

These are used with non—suspended turntables and other components in environments where subwoofers are present in the system, subsonic frequency is displayed, and/or motion is present in the furniture or the floor. This situation creates feedback and a less than ideal system performance. Specific model of component must be indicated at the time of the order.

Bi-Directional Noise Reduction Feet (G7)



These are used for components such as power transformers, tape machines, vacuum pumps, motors, solid state amplifiers (pre and power) or where chassis noise is a significant issue and the use of HRS Damping Plates, Vortex, Helix and Nimbus Systems are not an option nor desired. Please note when used on carpet a set of G-Links are required.



| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|--|----------|---|------------------------------|
| E1X Isolation Base Series (standard colors are black or silver) | | | |
| E1X-2123 (23" w x 21" d) | each | | 1'995.- |
| E1X-1923 (23" w x 19" d) | each | | 1'925.- |
| E1X-1921 (21" w x 19" d) | each | | 1'865.- |
| E1X-1719 (19" w x 17" d) | each | | 1'865.- |
| E1X-1419 (19" w x 14" d) | each | | 1'515.- |
| E1X-9.515-2 (9.5" w x 15" d) | each | | 1'095.- |
| **Perfect for Head fi chassis | | | |
| Custom E1X Isolation Base (multiple sizes available in widths of 9.5", 15", 19", 21", 23" and 25" with any depth) | | Contact us for quote (approx. CHF 6.-/sq inch) | |
| R3X Isolation Base Series (standard colors are black or silver) | | | |
| R3X-1921 (21" w x 19" d) | each | | 2'195.- |
| R3X-1719 (19" w x 17" d) | each | | 2'135.- |
| S3 Isolation Base Series (standard colors are black or silver) | | | |
| S3-1921 (21" w x 19" d) | each | | 3'165.- |
| S3-1719 (19" w x 17" d) | each | | 3'165.- |
| M3X2 Isolation Base Series (standard colors are black or silver) | | | |
| M3X2 Isolation Bases are built for maximum capacity of 130 - 145 lb. depending on the size of the M3X2 Isolation Base. Custom M3X2 Isolation Base load ranges and sizes are available for every component in the world. Contact HRS for further details of the infinite custom options available to our customers. | | | |
| M3X2-2123 (23" w x 21" d) | each | | 5'450.- |
| M3X2-1925 (25" w x 19" d) | each | | 5'450.- |
| M3X2-1923 (23" w x 19" d) | each | | 4'900.- |
| M3X2-1921 (21" w x 19" d) | each | | 4'570.- |
| M3X2-1719 (19" w x 17" d) | each | | 3'870.- |
| M3X2-1419 (19" w x 14" d) | each | | 3'350.- |
| Custom M3X2 Isolation Base (multiple sizes available) | | Contact us for quote (approx. CHF 12.-/sq inch) | |
| Isolation Base Rebuild Services | | | |
| Re-build 4 Isolation Footers (HRS SF2, SF3 or LF Feet) | set of 4 | | 325.- |
| New set of HRS SF, LF or G7 Feet | set of 4 | | 545.- |
| G-Link for use with G7 Feet when not using HRS Stand | set of 4 | | 765.- |

Options are available to rebuild or order new feet for all HRS isolation bases. Any of the versions of feet (SF, LF, G7) can be attached to any HRS isolation base depending on what will yield the best performance. The change in price is the same no matter what HRS Isolation Base the feet are placed on. If changing load ranges within SF2 & SF3 footer system then rebuilding the feet using some of the original parts will reduce price. If you are changing from one foot series to the other, you will need to purchase new feet as rebuilding is not an option. Please consult with HRS sales staff to determine if rebuilding existing feet or purchasing new feet is best for your component.



| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|--|----------|--|------------------------------|
| EXR Audio Stand System (standard colors are black and silver anodize finish) *HRS Isolation Bases are sold separately but not required. | | | |
| EXR-1921-1V, EXR-1719-1V | each | | 2'790.- |
| EXR-1921-2V, EXR-1719-2V | each | | 4'800.- |
| EXR-1921-3V, EXR-1719-3V | each | | 6'900.- |
| EXR-1921-4V, EXR-1719-4V | each | | 8'990.- |
| EXR-1921-5V, EXR-1719-5V | each | | 11'800.- |
|  | | | |
| The EXR Audio Stand System can be upgraded into the HRS SXR, SXRC, or SXR Signature Audio Stand with EXR Isolation Bases using a majority of the original parts from the EXR. | | | |
| Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth. Contact HRS for custom quote. | | | |
| Floor Protector (Stainless Steel) (EXR Audio Stand Systems do not include floor protectors) | each | | 22.- |
| EXR Cable Organizer (aluminum) (Pricing for 19" and 21" wide EXR's – contact HRS for pricing on different width options) | each | | 1'090.- |
| Extra EXR Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12") | each | | 115.- |
| Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge. | | | |
|  | | | |

| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

EXRW Audio Stand System (standard colors are black and silver anodize finish)

*HRS Isolation Bases are sold separately but not required.

| | | | |
|--------------------------------|------|--|----------|
| EXR-1921-1T1, EXR-1719-1T1 | each | | 4'950.- |
| EXR-1921-2T2, EXR-1719-2T2 | each | | 8'940.- |
| EXR-1921-3T3, EXR-1719-3T3 | each | | 12'930.- |
| EXR-1921-4T4, EXR-1719-4T4 | each | | 16'920.- |
| EXR-1921-1T1T1, EXR-1719-1T1T1 | each | | 6'920.- |
| EXR-1921-2T2T2, EXR-1719-2T2T2 | each | | 12'930.- |
| EXR-1921-3T3T3, EXR-1719-3T3T3 | each | | 18'950.- |
| EXR-1921-4T4T4, EXR-1719-4T4T4 | each | | 24'970.- |



The EXR is available in limitless configurations.. Contact HRS for pricing if you do not see your desired configuration listed above.

The EXR Audio Stand System can be upgraded into the HRS SXR, SXRC, or SXR Signature Audio Stand with EXR Isolation Bases using a majority of the original parts from the EXR.

Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth. Contact HRS for custom quote.

| | | | |
|--|------|--|---------|
| Floor Protector (Stainless Steel) (EXR Audio Stand Systems do not include floor protectors) | each | | 22.- |
| EXR Cable Organizer (aluminum) (Pricing for 19" and 21" wide EXR's – contact HRS for pricing on different width options) | each | | 1'090.- |
| Extra EXR Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12") | each | | 115.- |

Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.

| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

EXRD Audio Stand System (standard colors are black and silver anodize finish)
***HRS Isolation Bases are sold separately but not required.**

| | | | |
|--------------|------|--|----------|
| EXRD-1942-1V | each | | 4'550.- |
| EXRD-1942-2V | each | | 8'250.- |
| EXRD-1942-3V | each | | 11'990.- |
| EXRD-1942-4V | each | | 15'850.- |
| EXRD-1942-5V | each | | 19'650.- |



Standard plinth dimensions are 42" wide and available in any depth up to 23". Contact HRS for custom quote.

| | | | |
|---|------|--|-------|
| Floor Protector (Stainless Steel) (EXRD Audio Stand Systems do not include floor protectors) | each | | 22.- |
| Extra EXRD Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12") | each | | 115.- |

Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.

| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

EXRH Headphone Stand System (standard colors are black and silver anodize finish)

***Specifically designed for headphone systems and small-format electronic components**

| | | | | |
|-----------------|---|------|--|---------|
| EXRH-9.515-2-1V |  | each | | 2'090.- |
| EXRH-9.515-2-2V | | each | | 3'790.- |
| EXRH-9.515-2-3V | | each | | 5'390.- |
| EXRH-9.515-2-4V | | each | | 6'990.- |

Standard plinth dimensions are 9.5" wide x 15" deep; custom depths are available if needed.

Custom sizes are available in widths of 9.5", 15", 19", 21", 23", and 25" with any depth.

| | | | |
|---|------|--|-------|
| Floor Protector (Stainless Steel - new) (EXRH Audio Stand Systems do not include floor protectors) | each | | 22.- |
| Extra EXRH Struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", 10", or 12") | each | | 115.- |

Price includes 4", 6", 8", 10", or 12" component spacing. 14", 16", or 18" component spacing available at additional charge.



| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

SXRC Audio Stand Frame (standard colors are black or silver anodize finish)

***HRS Isolation Bases are sold separately.**

The SXRC Audio Stand is a custom four post version of the SXR Audio Stand that is designed to fit almost every amplifier in the world.

SXRC-1521-2-1V
SXRC-1523-2-1V
SXRC-1527-2-1V
SXRC-1921-2-1V
SXRC-1923-2-1V
SXRC-1927-2-1V



each
each
each
each
each
each

4'590.-
4'790.-
4'990.-
4'790.-
4'890.-
5'190.-

SXRC-2121-1V
SXRC-2123-2-1V
SXRC-2127-2-1V
SXRC-2123-1V
SXRC-2323-1V
SXRC-2327-2-1V

each
each
each
each
each
each

4'790.-
4'990.-
5'290.-
4'890.-
4'990.-
5'290.-

Only available in vertical configurations (1V, 2V, 3V, 4V, 5V, etc.). Not available in double-wide or tiered frame configurations.

| | | DEPTH (INCHES) | | |
|-------------------|-----|----------------|--------|--------|
| | | 21" | 23" | 27" |
| WIDTH (INCHES) | 15" | 1521-2 | 1523-2 | 1527-2 |
| | 19" | 1921-2 | 1923-2 | 1927-2 |
| | 21" | 2121 | 2123-2 | 2127-2 |
| | 23" | 2123 | 2323 | 2327-2 |

The SXRC Audio Stand is available in a full matrix of sizes. Each size is available on a custom-order basis. Please check with HRS for pricing and lead times for 2V and taller SXRC Audio Stand frames, as well as an appropriate custom M3X2 or E1X Isolation Base (HRS Isolation Bases sold separately)



*****CONTACT HRS FOR OTHER SIZES
AVAILABLE FOR A LIMITED TIME ONLY**

| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

SXR Audio Stand Frame (standard colors are black or silver anodize finish)

*HRS Isolation Bases are sold separately. Floor Protectors are included in stand price.

| | | | |
|---|------|--|----------|
| SXR-1921-1V | each | | 3'290.- |
| SXR-1921-2V | each | | 5'890.- |
| SXR-1921-3V | each | | 8'290.- |
| SXR-1921-4V | each | | 10'690.- |
| SXR-1921-5V | each | | 13'290.- |
|  | | | |
| SXR-1719-1V | each | | 3'290.- |
| SXR-1719-2V | each | | 5'790.- |
| SXR-1719-3V | each | | 8'190.- |
| SXR-1719-4V | each | | 10'590.- |
| SXR-1719-5V | each | | 13'090.- |

SXR double-wide, triple-wide, tiered systems, etc. - add price of any combination to obtain integrated frame price (infinite configuration options).



***To convert an existing SXR frame to another configuration, please contact HRS for parts required and pricing. Please have required information as per our HRS Order Instruction Guide for SXR Series Frame expansion or re-configuration.**

| | | | |
|---|--------|--|----------------|
| SXR Solid Brace Insert | 1 pair | | 2'190.- |
| SXR Cable Organizer (aluminum) | each | | 1'100.- |
| SXR Cable Organizer (acetal) | each | | quote required |
| Extra SXR struts to change height of existing system (Price of extra strut is for standard component spacing 4", 6", 8", or 10") | each | | 115.- |

Price includes 4", 6", 8", or 10" component spacing. 12", 14", or 16" component spacing available at additional charge.

*****See HRS Order Instruction
Guide for complete details.*****



| Product and Part Number | Quantity | | Retail incl. 8.1% VAT CHF |
|-------------------------|----------|--|------------------------------|
|-------------------------|----------|--|------------------------------|

VXR Audio Stand Frame (standard colors are black or silver anodize finish)

*HRS Isolation Bases are sold separately. Floor protectors are included in stand price.


| | | | |
|--|------|--|----------|
| VXR-1921-1V | each | | 9'590.- |
| VXR-1921 2V (8" component spacing) | each | | 18'090.- |
| VXR-1921-2V (12" component spacing) | each | | 20'790.- |
| VXR-1921-3V (8" component spacing) | each | | 26'290.- |
| VXR-1921-4V (8" component spacing) | each | | 34'890.- |
| VXR-1921-5V (8" component spacing) | each | | 44'290.- |
| VXR Center Panel 1V | each | | 6'990.- |
| VXR Center Panel 2V (8" component spacing) | each | | 14'090.- |
| VXR Center Panel 2V (12" component spacing) | each | | 14'890.- |
| VXR Center Panel 3V (8" component spacing) | each | | 20'990.- |
| VXR Center Panel 4V (8" component spacing) | each | | 28'190.- |
| VXR Center Panel 5V (8" component spacing) | each | | 35'390.- |

Pricing above is for 8" of component spacing at each location unless otherwise noted. Additional frame capacity can be purchased for any frame configurations.

Sizes in between each increment are available for the VXR Audio Stand as well as taller than a 5V. This system has an infinite number of options. Please contact HRS for a custom quote.

| | | | |
|--------------------------------|--------|--|----------------|
| VXR Cable Organizer (aluminum) | each | | 690.- |
| VXR Cable Organizer (acetal) | each | | quote required |
| VXR Solid Brace Insert | 1 pair | | 3'790.- |

The reference level VXR Audio Stand is available in a full matrix of sizes and finishes. Please contact HRS for a quote on your custom order.

| | DEPTH (INCHES) | | | | | | | | | |  |
|-------------------|----------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| WIDTH (INCHES) | | 17" | 19" | 21" | 23" | 25" | 27" | 29" | 34" | 38" | |
| | 15" | 1517-2 | 1519-2 | 1521-2 | 1523-2 | 1525-2 | 1527-2 | 1529-2 | 1534-2 | 1538-2 | |
| | 17" | 1717 | 1719-2 | 1721-2 | 1723-2 | 1725-2 | 1727-2 | 1729-2 | 1734-2 | 1738-2 | |
| | 19" | 1719 | 1919 | 1921-2 | 1923-2 | 1925-2 | 1927-2 | 1929-2 | 1934-2 | 1938-2 | |
| | 21" | 1721 | 1921 | 2121 | 2123-2 | 2125-2 | 2127-2 | 2129-2 | 2134-2 | 2138-2 | |
| | 23" | 1723 | 1923 | 2123 | 2323 | 2325-2 | 2327-2 | 2329-2 | 2334-2 | 2338-2 | |